

1	<p>Which Item is the best reason to use a industry standard DTD</p> <ul style="list-style-type: none"> a) To simplify document processing by eliminating unexpected events b) To gain access to partner company's databases c) To easily exchange data among the parties using the same DTD d) To gain Industry recognition among peers
2	<p>Which Items does a DTD contain? (Check all that apply)</p> <ul style="list-style-type: none"> a) Entity Declarations b) Document Instances c) Element Declarations d) Style Sheets
3	<p>Comments are allowed inside declarations</p> <p>A) True B) False</p>
4	<p>What is the value of using a conditional section with in a DTD</p> <ul style="list-style-type: none"> a) To create reusable code inside the DTD b) To create nodes for other users of the DTD c) To publish A DTD d) To allow DTD behavior to vary depending upon the XML Document Itself
5	<p>What should be considered when planning to create a DTD (Check All that apply)</p> <ul style="list-style-type: none"> a) People who will create DTD b) Milestones c) Operating System d) Internal Access Device
6	<p>Which items are true about shared DTDs</p> <ul style="list-style-type: none"> a) if a change is made to the DTD it affects the individual that made the change b) once a DTD is in production it cannot be changed c) Every DTD copy and DTD Fragment must include a version number d) if a change is made to the DTD everyone involved must update their copies
7	<p>All Members of the DTD creation Team Should be from the same Department</p> <p>a) True b) False</p>
8	<p>Which item is not automatically generated by an XML publisher?</p> <p>a) Special formats b) List Bullets c) Page numbers d) List Numbers</p>
9	<p>XML Names may include a colon anywhere</p> <p>a) True b) False</p>
10	<p>Which Items may be the first character of an XML Name.</p>

	a) Letter b) number c) Underscore d) Dollar Sign
11	What is the Maximum Length an XML Name May be. a) 127 characters b) 128 characters c) 256 characters d) No Limit
12	XML Names are case sensitive a) True b) False
13	What does an element content model specify a) What an element is permitted to contain b) The DTD Structure c) What applications can use a DTD
14	What does the + sign indicates when used a) one or more b) zero or more c) Optional d) And
15	What does the comma stand for in the content model a) Followed by b) Required c) or d) Optional
16	Which of the following are true about elements declared as ANY a) They can contain any combination of text and elements b) The Keyword #PCDATA must be used on the declaration c) They can have no content d) The elements must be mentioned in the DTD
17	What can a DTD author do to allow small portions of elements from DTDs to exist within one document a) Link the DTD's to the document b) Make a single master DTD that declares all the elements together with their content models c) Make the elements optional d) Include an element list in the DTD
18	Of the following items which would be best choice for an element a) Toy b) Price c) Color d) Name
19	Which of the following is true about CDATA Type a) it is the most common attribute type b) it is used to refer to another element c) An element can only have one attribute type of CDATA d) it should be used to declare a list of attribute values
20	Why it is necessary to declare the xml: space attribute a) it is not an attribute

